

GLANCE NA SC SMARTDOSE

Revision: 2024-08-01

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: GLANCE NA SC SMARTDOSE

1.2 Recommended use and restrictions on use

Identified uses:

Glass & multi-surface cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2

2.2 Label elements



Signal word: Warning

Hazard statements:

H319 - Causes serious eye irritation.

Prevention statement(s):

P264 - Wash face, hands and any exposed skin thoroughly after handling.

Response statement(s):

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 1.6

Not classified as hazardous

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

GLANCE NA SC SMARTDOSE

Ingredient(s)	CAS#	EC number	Weight percent
Ethoxylated lauryl alcohol	9002-92-0	500-002-6	3-10
alkyl polyglucoside	68515-73-1	500-220-1	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	Causes severe irritation.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

GLANCE NA SC SMARTDOSE

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1.6

Appropriate engineering controls: Use only in well ventilated areas.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

	Method / remark
Physical state: Liquid	
Colour: Clear , Blue	
Odour: Product specific	
Odour threshold: Not applicable	
pH: ≈ 7 (neat)	ISO 4316

GLANCE NA SC SMARTDOSE

Dilution pH: \approx 8 (1.6 %)
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

ISO 4316
 Not relevant to classification of this product

Flammability (liquid): Not flammable.
Flash point (°C): > 93 °C
Sustained combustion: Not applicable.
 (UN Manual of Tests and Criteria, section 32, L.2)

closed cup

Evaporation rate: Not determined
Flammability (solid, gas): Not applicable to liquids
Lower and upper explosion limit/flammability limit (%): Not determined
Vapour pressure: Not determined
Relative density: \approx 1.01 (20 °C)
Relative vapour density: No data available.
Particle characteristics: No data available.
Solubility in / Miscibility with water: Fully miscible
Partition coefficient: n-octanol/water No information available.

Not relevant to classification of this product

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Kinematic viscosity: \approx 4 mPa.s (20 °C)
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2A **Method:** Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

		(mg/kg)			time (h)
Ethoxylated lauryl alcohol	LD ₅₀	9060	Rat	Method not given	-
alkyl polyglucoside	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Ethoxylated lauryl alcohol		No data available			-
alkyl polyglucoside	LD ₅₀	> 2000	Rabbit	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated lauryl alcohol		No data available			-
alkyl polyglucoside		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated lauryl alcohol	Mild irritant	Rabbit	Method not given	
alkyl polyglucoside	Not irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated lauryl alcohol	Irritant	Rabbit	Method not given	
alkyl polyglucoside	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated lauryl alcohol	No data available			
alkyl polyglucoside	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Ethoxylated lauryl alcohol	Not sensitising			-
alkyl polyglucoside	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Ethoxylated lauryl alcohol	No data available			-
alkyl polyglucoside	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Ethoxylated lauryl alcohol	No data available		No data available	
alkyl polyglucoside	No evidence for mutagenicity, negative test results	Read across	No data available	

Carcinogenicity

Ingredient(s)	Effect
Ethoxylated lauryl alcohol	No data available
alkyl polyglucoside	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Ethoxylated lauryl alcohol			No data available				
alkyl polyglucoside			No data available		OECD 416, (EU B.35), oral		No evidence for reproductive toxicity

GLANCE NA SC SMARTDOSE

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Ethoxylated lauryl alcohol		No data available				
alkyl polyglucoside	NOAEL	100	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Ethoxylated lauryl alcohol		No data available				
alkyl polyglucoside		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Ethoxylated lauryl alcohol		No data available				
alkyl polyglucoside		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Ethoxylated lauryl alcohol			No data available					
alkyl polyglucoside			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Ethoxylated lauryl alcohol	No data available
alkyl polyglucoside	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Ethoxylated lauryl alcohol	No data available
alkyl polyglucoside	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**No data is available on the mixture .Substance data, where relevant and available, are listed below:**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated lauryl alcohol	LC ₅₀	3.3	<i>Oncorhynchus mykiss</i>		96
alkyl polyglucoside	LC ₅₀	100.81	<i>Brachydanio rerio</i>	ISO 7346	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated lauryl alcohol		No data available			-

GLANCE NA SC SMARTDOSE

alkyl polyglucoside	EC ₅₀	> 100	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
---------------------	------------------	-------	-----------------------------	-------------------	----

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ethoxylated lauryl alcohol		No data available			
alkyl polyglucoside	EC ₅₀	27.22	<i>Desmodesmus subspicatus</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Ethoxylated lauryl alcohol		No data available			
alkyl polyglucoside	EC ₅₀	12.43	<i>Skeletonema costatum</i>	Method not given	3

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Ethoxylated lauryl alcohol	IC ₅₀	100	<i>Pseudomonas putida</i>	Method not given	
alkyl polyglucoside	EC ₁₀	> 560	<i>Pseudomonas putida</i>	Method not given	6 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Ethoxylated lauryl alcohol		No data available				
alkyl polyglucoside	NOEC	1	<i>Brachydanio rerio</i>	Method not given	28 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Ethoxylated lauryl alcohol		No data available				
alkyl polyglucoside	NOEC	1	<i>Daphnia magna</i>	OECD 202	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
Ethoxylated lauryl alcohol					Readily biodegradable
alkyl polyglucoside	Activated sludge,	DOC reduction	100 % in 28 day(s)	OECD 301E	Readily biodegradable

GLANCE NA SC SMARTDOSE

	aerobe			
--	--------	--	--	--

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Ethoxylated lauryl alcohol	No data available			
alkyl polyglucoside	0.07	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Ethoxylated lauryl alcohol	No data available				
alkyl polyglucoside	< 1.77		Method not given	No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Ethoxylated lauryl alcohol	No data available				
alkyl polyglucoside	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

Other relevant information:

Hazchem code: None allocated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

HSNO Approval Number

HSR002530.

Group standard

Cleaning Products (Subsidiary Hazard) Group Standard 2020

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

HSNO Classification

6.4A - Irritating to the eye

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS3200710**Version:** 01.0**Revision:** 2024-08-01**Abbreviations and acronyms:**

- ATE - Acute Toxicity Estimate
- AUH - Non GHS hazard statement
- DNEL - Derived No Effect Limit
- EC No. - European Community Number
- EC50 - effective concentration, 50%
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PNEC - Predicted No Effect Concentration
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)

End of Safety Data Sheet