

3 WAY

Revision: 2024-07-31

Version: 01.3

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: 3 WAY

1.2 Recommended use and restrictions on use

Identified uses:

Washroom cleaner and disinfectant

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin irritation, Category 2

Serious eye damage, Category 1

Acute aquatic toxicity, Category 2

Terrestrial vertebrates, Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H433 - Harmful to terrestrial vertebrates.

Prevention statement(s):

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

3 WAY

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 16.7

Skin irritation, Category 3

2.5 Label elements diluted product

Signal word: Warning.

Hazard statements:

H316 - Causes mild skin irritation.

Precautionary statements:

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
phosphoric acid	7664-38-2	231-633-2	3-10
Alcohols, C12-14, ethoxylated	68439-50-9	500-213-3	3-10
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	270-325-2	1-3
ethanol	64-17-5	200-578-6	0.1-1
d-limonene	5989-27-5	227-813-5	0.01-0.1
dodecanal	112-54-9	203-983-6	< 0.01
pin-2(3)-ene	80-56-8	201-291-9	< 0.01
benzyl alcohol	100-51-6	202-859-9	< 0.01
citral	5392-40-5	226-394-6	< 0.01
cinnamal	104-55-2	203-213-9	< 0.01
diethyl phthalate	84-66-2	201-550-6	< 0.01

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

3 WAY

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
phosphoric acid	1 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

3 WAY

Eye / face protection:	Safety glasses or goggles (AS/NZS 1337.1).
Hand protection:	Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: \geq 480 min Material thickness: \geq 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: \geq 30 min Material thickness: \geq 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 16.7

Appropriate engineering controls:	No special requirements under normal use conditions.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical state: Liquid	
Colour: Clear , Blue	
Odour: Slightly perfumed	
Odour threshold: Not applicable	
pH: < 1 (neat)	ISO 4316
Dilution pH: < 2 (1%)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): Not applicable.	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Lower and upper explosion limit/flammability limit (%): Not determined	
Vapour pressure: Not determined	
Relative density: \approx 1.05 (20 °C)	OECD 109 (EU A.3)
Relative vapour density: Not determined.	Not relevant to classification of this product
Particle characteristics: No data available.	Not applicable to liquids.
Solubility in / Miscibility with water: Fully miscible	
Partition coefficient: n-octanol/water No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Kinematic viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with alkali. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

Skin irritation and corrosivity

Result: Skin irritant 2

Method: Bridging

Eye irritation and corrosivity

Result: Eye damage 1

Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
phosphoric acid	LD ₅₀	> 300-5000	Rat	OECD 423 (EU B.1 tris)	
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride	LD ₅₀	304.5	Rat		

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
phosphoric acid	LD ₅₀	2740	Rabbit	Method not given	
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride	LD ₅₀	3412	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	LC ₅₀	850	Rat	Method not given	2
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time

3 WAY

phosphoric acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
Alcohols, C12-14, ethoxylated	No data available			
n-alkyl dimethyl benzyl ammonium chloride	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	Severe damage	Rabbit	Method not given	
Alcohols, C12-14, ethoxylated	No data available			
n-alkyl dimethyl benzyl ammonium chloride	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	No data available			
Alcohols, C12-14, ethoxylated	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
phosphoric acid	Not sensitising	Human	Human experience	
Alcohols, C12-14, ethoxylated	No data available			
n-alkyl dimethyl benzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	No data available			
Alcohols, C12-14, ethoxylated	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
phosphoric acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No data available	
Alcohols, C12-14, ethoxylated	No data available		No data available	
n-alkyl dimethyl benzyl ammonium chloride	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
phosphoric acid	No data available
Alcohols, C12-14, ethoxylated	No data available
n-alkyl dimethyl benzyl ammonium chloride	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
phosphoric acid	NOAEL	Developmental toxicity	410	Rat	OECD 422, oral	10 day(s)	No evidence for reproductive toxicity No evidence for developmental toxicity
Alcohols, C12-14, ethoxylated			No data available				
n-alkyl dimethyl benzyl ammonium chloride			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid	NOAEL	250	Rat	OECD 422, oral		
Alcohols, C12-14, ethoxylated		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data				

3 WAY

		available				
--	--	-----------	--	--	--	--

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid		No data available				
Alcohols, C12-14, ethoxylated		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid		No data available				
Alcohols, C12-14, ethoxylated		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
phosphoric acid			No data available					
Alcohols, C12-14, ethoxylated			No data available					
n-alkyl dimethyl benzyl ammonium chloride			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
phosphoric acid	No data available
Alcohols, C12-14, ethoxylated	No data available
n-alkyl dimethyl benzyl ammonium chloride	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
phosphoric acid	No data available
Alcohols, C12-14, ethoxylated	No data available
n-alkyl dimethyl benzyl ammonium chloride	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	LC ₅₀	138	<i>Gambusia affinis</i>	Method not given	96
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride	LC ₅₀	0.515	<i>Fish</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

3 WAY

phosphoric acid	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride	EC ₅₀	0.016	<i>Daphnia</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	EC ₅₀	> 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride	EC ₅₀	0.02	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
phosphoric acid		No data available			
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
phosphoric acid	EC ₅₀	270	<i>Activated sludge</i>	Method not given	
Alcohols, C12-14, ethoxylated		No data available			
n-alkyl dimethyl benzyl ammonium chloride	EC ₂₀	5	<i>Activated sludge</i>	OECD 209	0.5 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
phosphoric acid		No data available				
Alcohols, C12-14, ethoxylated		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
phosphoric acid		No data available				
Alcohols, C12-14, ethoxylated		No data available				
n-alkyl dimethyl benzyl ammonium chloride	NOEC	0.025	<i>Daphnia magna</i>	OECD 211	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

3 WAY

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
phosphoric acid	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
phosphoric acid	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
phosphoric acid		No data available			
n-alkyl dimethyl benzyl ammonium chloride		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
phosphoric acid					Not applicable (inorganic substance)
Alcohols, C12-14, ethoxylated				OECD 301F	Readily biodegradable
n-alkyl dimethyl benzyl ammonium chloride		Oxygen depletion	> 60%	Read across	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
phosphoric acid					No data available
n-alkyl dimethyl benzyl ammonium chloride					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical	DT ₅₀	Method	Evaluation
---------------	---------------	------------	------------------	--------	------------

3 WAY

	method			
phosphoric acid				No data available
n-alkyl dimethyl benzyl ammonium chloride				No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
phosphoric acid	No data available		No bioaccumulation expected	
Alcohols, C12-14, ethoxylated	No data available			
n-alkyl dimethyl benzyl ammonium chloride	0.004	Method not given	No bioaccumulation expected	at 20 °C

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
phosphoric acid	No data available			No bioaccumulation expected	
Alcohols, C12-14, ethoxylated	No data available				
n-alkyl dimethyl benzyl ammonium chloride	79	<i>Lepomis macrochirus</i>		Low potential for bioaccumulation	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
phosphoric acid	No data available				Potential for mobility in soil, soluble in water
Alcohols, C12-14, ethoxylated	No data available				
n-alkyl dimethyl benzyl ammonium chloride	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods**Other relevant information:****Hazchem code:** None allocated**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002530.

Group standard

Cleaning Products (Subsidiary Hazard) Group Standard 2020

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

3 WAY

HSNO Classification

- 6.3A - Irritating to the skin
- 8.3A - Corrosive to ocular tissue
- 9.1D - Slightly harmful to the aquatic environment or are otherwise designed for biocidal action
- 9.3C - Harmful to terrestrial vertebrates

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS3200002

Version: 01.3

Revision: 2024-07-31

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organisation for Economic Cooperation and Development

End of Safety Data Sheet