

# **Safety Data Sheet**

## **TASKI WIPEOUT**

**Revision:** 2023-12-13 **Version:** 01.1

# SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI WIPEOUT

#### 1.2 Recommended use and restrictions on use

Identified uses: Hard surface cleaner Restrictions of use:

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin irritation, Category 2 Eye irritation, Category 2

#### 2.2 Label elements



Signal word: Warning

### Hazard statements:

H315 + H319 - Causes skin and serious eye irritation.

#### Prevention statement(s):

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves.

#### Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

#### Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

#### 2.3 Other hazards

No other hazards known.

### 2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 20

Skin irritation, Category 3

#### 2.5 Label elements diluted product

Signal word: Warning.

Hazard statements:

H316 - Causes mild skin irritation.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
2-butoxyethanol	111-76-2	203-905-0	3-10
2-aminoethanol	141-43-5	205-483-3	1-3
d-limonene	5989-27-5	227-813-5	0.01-0.1
sodium hydroxide	1310-73-2	215-185-5	0.01-0.1
ethyl 2-naphthyl ether	93-18-5	202-226-7	< 0.01
Propan-2-ol	67-63-0	200-661-7	< 0.01
citral	5392-40-5	226-394-6	< 0.01
pin-2(3)-ene	80-56-8	201-291-9	< 0.01
pin-2(10)-ene	127-91-3	204-872-5	< 0.01
benzyl alcohol	100-51-6	202-859-9	< 0.01

#### [4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

Get medical attention or advice if you feel unwell. Inhalation:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice Skin contact:

or attention.

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove Eye contact:

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice or attention. If irritation occurs and persists, get medical attention. Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. Eyewash facilities should be considered in a workplace where necessary. First aid facilities:

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes irritation. Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### 5.4 Hazchem code

None allocated

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
2-butoxyethanol	25 ppm		
·	121 mg/m <sup>3</sup>		
2-aminoethanol	3 ppm	6 ppm	
	7.5 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	

Biological limit values, if available:

# 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

Eye / face protection:

Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability Hand protection:

and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions,

such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

No special requirements under normal use conditions. **Body protection:** No special requirements under normal use conditions. Respiratory protection:

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 20

Appropriate engineering controls: No special requirements under normal use conditions.

Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

**Environmental exposure controls:** 

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. Body protection: No special requirements under normal use conditions Respiratory protection: No special requirements under normal use conditions. No special requirements under normal use conditions.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Method / remark

Physical state: Liquid

Colour: Clear , from Yellow to Green

Odour: Slightly perfumed Odour threshold: Not applicable

**pH:** ≈ 11.05 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

ISO 4316

Not relevant to classification of this product

Flammability (liquid): Not flammable.

Flash point (°C): > 93 °C

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) closed cup

Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids

Lower and upper explosion limit/flammability limit (%): Not determined

Vapour pressure: Not determined Relative density: ≈ 1.01 (20 °C) Relative vapour density: Not determined. Particle characteristics: No data available.

Solubility in / Miscibility with water: Fully miscible

Partition coefficient: n-octanol/water No information available.

OECD 109 (EU A.3) Not relevant to classification of this product

Not relevant to classification of this product

Not applicable to liquids.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

# SECTION 10: Stability and reactivity

#### 10 1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

Reacts with acids.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Mixture data: .

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000 ATE - Dermal (mg/kg): >5000 ATE - Inhalatory, vapours (mg/l): 110

Substance data, where relevant and available, are listed below:.

#### **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD 50	1746	Rat	ATE - Acute Toxicity	
				Estimate	
2-aminoethanol	LD 50	1089	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

	Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Γ	2-butoxyethanol	LD 50	6411		Method not given	
Γ	2-aminoethanol	LD 50	2504	Rabbit	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC 50	> 2 (mist) No mortality observed	Rat	Method not given	4
2-aminoethanol	LC 50	> 1.4 No mortality observed	Rat	Method not given	4

#### Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

risophiatory tract initiation and consolvity						
Ingredient(s)	Result	Species	Method	Exposure time		
2-butoxyethanol	No data available					

2-aminoethanol	Irritating to	Method not given	
	respiratory tract		

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

widtageriicity	•			
Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	B.12/13) OECD	test results	B.12)
		476 (Chinese		
		Hamster		
		Ovary)		
2-aminoethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	B.12/13) OECD	test results	B.12)
		473 OECD 476		
		(Mouse		
		lymphoma)		

Carcinogenicity

ſ	Ingredient(s)	Effect
ſ	2-butoxyethanol	No evidence for carcinogenicity, negative test results
	2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	, ,	No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data				
		available				
2-aminoethanol	NOAEL	300	Rat		75	

Sub-chronic dermal toxicity

Sub-chronic dermai toxicity						
Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available			( <b>,</b> .,	
2-aminoethanol		No data				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data				
		available				
2-aminoethanol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data					
			available					

2-aminoethanol		No data			
		available			

STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	Respiratory tract

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	No data available

# Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC 50	> 100	Oncorhynchus	OECD 203, static	96
			mykiss		
2-aminoethanol	LC 50	349	Cyprinus carpio	OECD 203, semi-static	96

Aquatic short-term toxicity - crustacea

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)	•		time (h)
2-butoxyethanol	EC 50	> 100	Daphnia	OECD 202, static	48
			magna Straus		
2-aminoethanol	EC 50	27.04	Daphnia	OECD 202, static	48
			magna Straus		ľ

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC 50	> 100	Pseudokirchner iella subcapitata	OECD 201, static	72
2-aminoethanol	EC 50	2.8	Selenastrum capricornutum	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

-	Aquatic short-term toxicity - manne species					
I	Ingredient(s)	Endpoint	Value	Species	Method	Exposure
			(mg/l)			time (days)
Ī	2-butoxyethanol		No data			
			available			
Ī	2-aminoethanol		No data			
			available		1	

Impact on sewage plants - toxicity to hacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC <sub>0</sub>	700	Pseudomonas putida	Method not given	16 hour(s)
2-aminoethanol	EC 50	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	Danio rerio	OECD 204	21 day(s)	
2-aminoethanol	NOEC	1.2	Oryzias latipes	OECD 210	30 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	Daphnia magna	OECD 211	21 day(s)	
2-aminoethanol	NOEC	0.85	Daphnia magna	OECD 202	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data				
		available				

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Terrestrial toxicity Son bacteria, il available.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
2-aminoethanol		No data				
		available				

# 12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
2-butoxyethanol		CO <sub>2</sub> production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

# 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
2-aminoethanol	No data available				

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected

#### 12.5 Other adverse effects

No other adverse effects known

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging** 

**Recommendation:** Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

# SECTION 14: Transport information

#### ADG, IMO/IMDG, ICAO/IATA

14.1 UN number or ID number: Non-dangerous goods
14.2 UN proper shipping name: Non-dangerous goods
14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

Environmentally hazardous: No

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers. Non-dangerous goods

Other relevant information: Hazchem code: None allocated

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002530.

Group standard
Inventory Listing(s)

Cleaning Products (Subsidiary Hazard) Group Standard 2020

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

**HSNO Classification** 6.3A - Irritating to the skin 6.4A - Irritating to the eye

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**SDS code:** MS3200593 Version: 01.1 Revision: 2023-12-13

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 8

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

# Abbreviations and acronyms:

- DNEL Derived No Effect LimitAUH Non GHS hazard statement
- PNEC Predicted No Effect Concentration
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%
- NOEL No observed effect level
   NOAEL No observed adverse effect level
- STOT-RE Specific target organ toxicity (repeated exposure)
   STOT-SE Specific target organ toxicity (single exposure)
- EC No. European Community Number
- OECD Organisation for Economic Cooperation and Development

**End of Safety Data Sheet**