

Safety Data Sheet

TASKI WIPEOUT

Revision: 2019-04-10 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI WIPEOUT

1.2 Recommended use and restrictions on use

Identified uses: Hard surface cleaner Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: +64 9 813 9800; 0800 803 615 (toll free)

Fax: + 64 9 813 9801 Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.3A - Irritating to the skin 6.4A - Irritating to the eye

GHS Equivalent Classification

Skin irritation, Category 2 Serious eye irritation, Category 2

2.2 Label elements



Signal word: Warning

Hazard statements:

H315 + H319 - Causes skin and serious eye irritation.

Prevention statement(s):

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves.

Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (%): 20

HSNO Classification

6.3B - Mildly irritating to the skin

GHS Equivalent Classification

Skin irritation, Category 3

2.5 Label elements diluted product

Dilution Signal word: Warning.

H316 - Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

| Ingredient(s) | CAS number | EC number | Weight |
|--|------------|-----------|----------|
| | | | percent |
| 2-butoxyethanol | 111-76-2 | 203-905-0 | 3-10 |
| 2-aminoethanol | 141-43-5 | 205-483-3 | 1-3 |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | 270-407-8 | 0.1-1 |
| sodium hydroxide | 1310-73-2 | 215-185-5 | 0.01-0.1 |

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice or attention. If irritation occurs and persists, get medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes irritation.

Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | Long term value(s) | Short term value(s) | Ceiling value(s) |
|------------------|-----------------------|----------------------|---------------------|
| 2-butoxyethanol | 25 ppm | | |
| | 121 mg/m ³ | | |
| 2-aminoethanol | 3 ppm | 6 ppm | |
| | 7.5 mg/m ³ | 15 mg/m ³ | |
| sodium hydroxide | | | 2 mg/m ³ |

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

No special requirements under normal use conditions.

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 20

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Environmental exposure controls:

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

closed cup

Physical State: Liquid Colour: Clear, Yellow Green Odour: Slightly perfumed Odour threshold: Not applicable

pH: ≈ 11.05 (neat) ISO 4316

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

Flammability (liquid): Not flammable. Flash point (°C): > 93

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: ≈ 1.005 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Not relevant to classification of this product

Not relevant to classification of this product

OECD 109 (EU A.3)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000 ATE - Dermal (mg/kg): >5000 ATE - Inhalatory, vapours (mg/l): 110

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--|----------|----------------------|---------|-------------------|-------------------|
| 2-butoxyethanol | LD 50 | 1746 | Rat | Method not given | |
| 2-aminoethanol | LD 50 | 500 | Rat | OECD 401 (EU B.1) | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LD 50 | > 2000 | Rat | OECD 401 (EU B.1) | |
| sodium hydroxide | | No data available | | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--|----------|------------------|---------|-------------------|-------------------|
| 2-butoxyethanol | LD 50 | 6411 | | Method not given | |
| 2-aminoethanol | LD 50 | 1025 | Rabbit | Method not given | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LD 50 | 6300 | Rabbit | OECD 402 (EU B.3) | |
| sodium hydroxide | LD 50 | 1350 | Rabbit | Method not given | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|--|---------|-------------------|-------------------|
| 2-butoxyethanol | LC 50 | > 2 (mist) No mortality observed | Rat | Method not given | 4 |
| 2-aminoethanol | LC 50 | 11 | Rat | Method not given | 4 |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LC 50 | > 52 | Rat | OECD 403 (EU B.2) | 4 |
| sodium hydroxide | | No data available | | | |

Irritation and corrosivity

Skin irritation and corrosivity

| Chair intradion and contony | | | | |
|--|-----------|---------|-------------------|--------------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| 2-butoxyethanol | Irritant | Rabbit | OECD 404 (EU B.4) | 24; 48; 72 hour(s) |
| 2-aminoethanol | Corrosive | Rabbit | OECD 404 (EU B.4) | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|---------------|---------|-------------------|--------------------|
| 2-butoxyethanol | Irritant | Rabbit | OECD 405 (EU B.5) | 24; 48; 72 hour(s) |
| 2-aminoethanol | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|------------------|---------------|
| 2-butoxyethanol | No data available | | | |
| 2-aminoethanol | Irritating to | | Method not given | |
| | respiratory tract | | | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available | | | |

| sodium hydroxide | No data available | | |
|------------------|-------------------|--|--|

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-----------------|------------|-----------------------------|-------------------|
| 2-butoxyethanol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| 2-aminoethanol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| sodium hydroxide | Not sensitising | | Human repeated patch test | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| 2-butoxyethanol | No data available | | | |
| 2-aminoethanol | No data available | | | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available | | | |
| sodium hydroxide | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--|---|---|
| 2-butoxyethanol | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary) | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |
| 2-aminoethanol | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma) | | OECD 474 (EU B.12) |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | Method not given |
| sodium hydroxide | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) OECD 475 (EU B.11) |

Carcinogenicity

| Ingredient(s) | Effect |
|--|--|
| 2-butoxyethanol | No evidence for carcinogenicity, negative test results |
| 2-aminoethanol | No evidence for carcinogenicity, weight-of-evidence |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No evidence for carcinogenicity, negative test results |
| sodium hydroxide | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|------------------------|-----------------------|---------|--------------------------------|---------------|--|
| 2-butoxyethanol | | | No data available | | | | |
| 2-aminoethanol | NOAEL | Developmental toxicity | > 75 | Rabbit | OECD 414 (EU B.31), oral | , , , | No evidence for developmental toxicity No evidence for reproductive toxicity |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | | No data available | | | | No evidence for teratogenic effects |
| sodium hydroxide | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| 2-butoxyethanol | | No data available | | | | |
| 2-aminoethanol | NOAEL | 300 | Rat | | 75 | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | | Specific effects and organs |
|--|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| 2-butoxyethanol | | No data | | | | |
| , | | available | | | | |
| 2-aminoethanol | | No data | | | | |
| | | available | | | | |
| sulphonic acids, C14-16-alkane hydroxy and | | No data | | | | |
| C14-16-alkene, sodium salts | | available | | | | |
| sodium hydroxide | | No data | | | | |
| · | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| 2-butoxyethanol | | No data available | | | | |
| 2-aminoethanol | | No data available | | | | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---|----------------|----------|-----------------------|---------|------------------|---------------|---|--------|
| 2-butoxyethanol | | | No data available | | | | | |
| 2-aminoethanol | | | No data available | | | | | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Oral | NOAEL | 259 | Rat | Method not given | 24 month(s) | | |
| sodium hydroxide | | | No data available | | | | | |

STOT-single exposure

| G. G. Ciligio expectato | |
|--|-------------------|
| Ingredient(s) | Affected organ(s) |
| 2-butoxyethanol | No data available |
| 2-aminoethanol | Respiratory tract |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available |
| sodium hydroxide | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| 2-butoxyethanol | No data available |
| 2-aminoethanol | No data available |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available |
| sodium hydroxide | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|------------------------|-------------------|-------------------|
| 2-butoxyethanol | LC 50 | > 100 | Oncorhynchus mykiss | OECD 203, static | 96 |
| 2-aminoethanol | LC 50 | 349 | Cyprinus carpio | OECD 203 (EU C.1) | 96 |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LC 50 | 4.2 | Brachydanio rerio | OECD 203 (EU C.1) | 96 |
| sodium hydroxide | LC 50 | 35 | Various | Method not given | 96 |

| | | (|
|---|---------|---|
| 1 | species | 1 |
| 1 | Species | i |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|-------------------------|-------------------|-------------------|
| 2-butoxyethanol | EC 50 | > 100 | Daphnia magna Straus | OECD 202, static | 48 |
| | | | mayna Siraus | | |
| 2-aminoethanol | EC 50 | 65 | Daphnia | OECD 202, static | 48 |
| | | | magna Straus | | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | EC 50 | 4.53 | Ceriodaphnia | OECD 202 (EU C.2) | 48 |
| | | | sp. | | |
| sodium hydroxide | EC 50 | 40.4 | Ceriodaphnia | Method not given | 48 |
| | l | | Sp. | | |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|--|-------------------|-------------------|
| 2-butoxyethanol | EC 50 | > 100 | Pseudokirchner iella subcapitata | OECD 201, static | 72 |
| 2-aminoethanol | EC 50 | 22 | | OECD 201 (EU C.3) | 72 |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | EC 50 | 5.2 | | OECD 201 (EU C.3) | 72 |
| sodium hydroxide | EC 50 | 22 | Photobacteriu m phosphoreum | Method not given | 0.25 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|----------------------|---------|--------|----------------------|
| 2-butoxyethanol | | No data available | | | - |
| 2-aminoethanol | | No data available | | | - |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | - |
| sodium hydroxide | | No data available | | | - |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|--|----------|----------------------|---------------------|---|---------------|
| 2-butoxyethanol | EC∘ | 700 | Pseudomonas putida | Method not given | 16 hour(s) |
| 2-aminoethanol | EC 50 | > 1000 | Activated sludge | DIN EN ISO 8192-OECD 209-88/302/EEC | 3 hour(s) |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | EC 50 | 230 | | OECD 209 | |
| sodium hydroxide | | No data available | | | |

Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--|--------------|----------------------|-----------------|----------|-----------|------------------|
| | | (mg/l) | | | time | |
| 2-butoxyethanol | NOEC | > 100 | Danio rerio | OECD 204 | 21 day(s) | |
| 2-aminoethanol | NOEC | 1.2 | Oryzias latipes | OECD 210 | 30 day(s) | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | | |
| sodium hydroxide | | No data | | | | |
| sodium nydroxide | | available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--|----------|-----------|---------|----------|-----------|------------------|
| | | (mg/l) | | | time | |
| 2-butoxyethanol | NOEC | 100 | Daphnia | OECD 211 | 21 day(s) | |
| | | | magna | | | |
| 2-aminoethanol | NOEC | 0.85 | Daphnia | OECD 202 | 21 day(s) | |
| | | | magna | | | |
| sulphonic acids, C14-16-alkane hydroxy and | | No data | | | | |
| C14-16-alkene, sodium salts | | available | | | | |
| sodium hydroxide | | No data | | | | |
| • | | available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-----------------|----------|---------------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data | | | - | |
| | | available | | | | |
| 2-aminoethanol | | No data | | | - | |

| | available | | | |
|---|----------------------|--|---|--|
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available | | - | |
| sodium hydroxide | No data | | - | |
| , i | available | | | |

Terrestrial toxicity
Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|-------------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|---|----------|----------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity - soil bacteria, if available:

| errestriai toxicity - soii bacteria, ir available: | I = | | | | - | = |
|--|----------|-----------|---------|--------|-------------|------------------|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
| | | (mg/kg dw | | | time (days) | |
| | | soil) | | | ` ´ ´ | |
| 2-butoxyethanol | | No data | | | - | |
| | | available | | | | |
| 2-aminoethanol | | No data | | | - | |
| | | available | | | | |
| sulphonic acids, C14-16-alkane hydroxy and | | No data | | | - | |
| C14-16-alkene, sodium salts | | available | | | | |
| sodium hydroxide | | No data | | | - | |
| • | | available | | | | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Ingredient(s) Half-life time M | | Evaluation | Remark |
|------------------|--------------------------------|------------------|-------------------------|--------|
| sodium hydroxide | 13 second(s) | Method not given | Rapidly photodegradable | |

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|---|----------|----------------------------|------------------------|------------------|--------------------------------------|
| 2-butoxyethanol | | CO ₂ production | 90.4 % in 28 day(s) | OECD 301B | Readily biodegradable |
| 2-aminoethanol | | DOC reduction | > 90 % in 21 day(s) | OECD 301A | Readily biodegradable |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | | CO ₂ production | > 80 % in 28 day(s) | Method not given | Readily biodegradable |
| sodium hydroxide | | | | | Not applicable (inorganic substance) |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|---|-------------------|--------------------|--------------------------------------|--------|
| 2-butoxyethanol | 0.81 | OECD 107 | Low potential for bioaccumulation | |
| 2-aminoethanol | - 1.91 | OECD 107 | No bioaccumulation expected | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | -1.3 | (EC) 440/2008, A.8 | No bioaccumulation expected | |
| sodium hydroxide | No data available | | Not relevant, does not bioaccumulate | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|---------|--------|------------|--------|
| 2-butoxyethanol | No data available | | | | |
| 2-aminoethanol | No data available | | | | |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available | | | | |
| sodium hydroxide | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|---|--------------------------------------|---|-------------------|-----------------------|--|
| 2-butoxyethanol | No data available | | | | Potential for mobility in soil, soluble in water |
| 2-aminoethanol | 0.067 | | Model calculation | | Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected |
| sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | No data available | | | | Low potential for adsorption to soil |
| sodium hydroxide | No data available | | | | Mobile in soil |

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods **14.3 Transport hazard class(es):** Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Non-dangerous goods

Other relevant information: Hazchem code: None allocated

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002530.

Group standard Cleaning Products (Subsidiary Hazard) Group Standard 2017
Inventory Listing(s) New Zealand: NZIoC (New Zealand Inventory of Chemicals)
All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000593 **Version:** 01.0 **Revision:** 2019-04-10

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- DNEL Derived No Effect Limit
- AUH GHS Specific hazard statement
- PNEC Predicted No Effect Concentration
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level
- STOT-RE Specific target organ toxicity (repeated exposure)
- STOT-SE Specific target organ toxicity (single exposure)
- EC No. European Community Number
- OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet